

## **Appendix A**

### **2012 and 2032 No-Build and Build Traffic Data for Intersections**

No-Build 2012

County	Approach Volumes (veh/hr)				Total veh/hr	Level of Service
	NB Lane	SB Lane	EB Lane	WB Lane		
<b>Orange County</b>						
US 441 and CR 437	--	590	1470	1940	4000	F
CR 437 and Ponkan Rd	920	410	230	300	1860	C
CR 437 and Kelly Park Rd	640	430	780	910	2760	B
<b>Lake County</b>						
SR 46 and US 441 SB Ramp	--	344	368	501	1213	B
SR 46 and US 441 NB Ramp	243	--	565	641	1449	A
SR 46 and Round Lake Road	340	240	589	640	1809	C
SR 46 and CR 437	590	430	588	950	2558	D
SR 46 and CR 435/Niles St	440	28	780	910	2158	D
SR 46 and CR 46A	--	390	750	1380	2520	C
SR 46 and Wekiva River Rd	80	2	1140	1380	2602	B
<b>Seminole County</b>						
SR 46 and Wekiva Park Dr	--	10	1140	1370	2520	B
SR 46 and Longwood Markham Rd	190	2	1130	1270	2592	C
SR 46 and Lake Markham Rd	140	--	1050	1380	2570	B
SR 46 and CR 431 (Orange Blvd)	430	240	1140	1590	3400	C
SR 46 and Lake Forest Blvd	--	310	1310	1910	3530	A
SR 46 and International Pkwy	530	--	1570	1740	3840	B
SR 46 and N Oregon Ave/Wayside Dr	264	360	1440	2050	4114	D
SR 46 and I-4 WB Ramp	--	1010	1690	2271	4971	B
SR 46 and I-4 EB Ramp	930	--	1725	2640	5295	C
SR 46 and Town Center Blvd	860	341	2180	1890	5271	D
SR 46 and Rinehart Rd	990	223	1560	1750	4523	D
CR 46 A and International Pkwy	2098	630	608	1289	4625	F
CR 46 A and I-4 WB Ramp	480	607	2347	1919	5353	F
CR 46 A and I-4 EB Ramp	1190	--	2530	1809	5529	F
CR 46A and Rinehart Rd	2010	1150	3064	980	7204	F
Rinehart Rd and St Johns Pkwy	1150	590	326	438	2504	B
Rinehart Rd and SR 417 NB Ramp	975	777	101	940	2793	C
Rinehart Rd and SR 417 SB Ramp	1350	977	--	160	2487	B
Rinehart Rd and Town Center Blvd	1500	800	455	75	2830	B
International Pkwy and SR 417	1020	400	80	820	2320	C

Maximum 2098 1150 3064 2640 7204

Speed Limit:

Freeway = 65 mph; Surface Roads = 40 mph

No-Build 2032

County	Approach Volumes (veh/hr)				Total veh/hr	Level of Service
	NB Lane	SB Lane	EB Lane	WB Lane		
<b>Orange County</b>						
US 441 and CR 437	--	1400	2010	2250	5660	F
CR 437 and Ponkan Rd	2180	690	510	600	3980	F
CR 437 and Kelly Park Rd	1070	760	490	560	2880	F
<b>Lake County</b>						
SR 46 and US 441 SB Ramp	--	660	640	1086	2386	D
SR 46 and US 441 NB Ramp	440	--	999	1320	2759	C
SR 46 and Round Lake Road	820	690	830	860	3200	F
SR 46 and CR 437	750	480	710	1280	3220	D
SR 46 and CR 435/Niles St	640	34	1060	1180	2914	F
SR 46 and CR 46A	--	530	980	1930	3440	E
SR 46 and Wekiva River Rd	90	2	1590	1930	3612	F
<b>Seminole County</b>						
SR 46 and Wekiva Park Dr	--	10	1590	1950	3550	F
SR 46 and Longwood Markham Rd	429	3	1610	1720	3762	F
SR 46 and Lake Markham Rd	330	--	1420	1870	3620	F
SR 46 and CR 431 (Orange Blvd)	680	370	1540	2150	4740	D
SR 46 and Lake Forest Blvd	--	350	1780	2590	4720	B
SR 46 and International Pkwy	970	--	2140	2360	5470	C
SR 46 and N Oregon Ave/Wayside Dr	316	430	1950	2780	5476	F
SR 46 and I-4 WB Ramp	--	1490	2300	3109	6899	F
SR 46 and I-4 EB Ramp	1290	--	2391	3580	7261	E
SR 46 and Town Center Blvd	1073	405	2960	3070	7508	F
SR 46 and Rinehart Rd	1650	223	2540	2810	7223	F
CR 46 A and International Pkwy	3090	1280	730	1500	6600	F
CR 46 A and I-4 WB Ramp	930	783	2790	2403	6906	F
CR 46 A and I-4 EB Ramp	1840	--	3050	2214	7104	F
CR 46A and Rinehart Rd	2580	1320	3891	1170	8961	F
Rinehart Rd and St Johns Pkwy	1920	970	464	639	3993	C
Rinehart Rd and SR 417 NB Ramp	1344	1130	211	1630	4315	D
Rinehart Rd and SR 417 SB Ramp	2000	1439	--	380	3819	D
Rinehart Rd and Town Center Blvd	89	538	2230	1180	4037	C
International Pkwy and SR 417	1637	435	95	1320	3487	D

Maximum 3090 1490 3891 3580 8961

Speed Limit:

Freeway = 65 mph; Surface Roads = 40 mph

Build 2012

County	Approach Volumes (veh/hr)				Total veh/hr	Level of Service
	NB Lane	SB Lane	EB Lane	WB Lane		
<b>Orange County</b>						
US 441 and CR 437	--	335	1360	1890	3585	B
CR 437 and Ponkan Rd	680	350	200	240	1470	A
CR 437 and Kelly Park Rd	550	400	452	290	1692	B
US 441 and Wekiva Pkwy	1040	240	846	550	2676	B
US 441 and Wekiva Pkwy Connector	--	755	1444	777	2976	A
CR 437 and Wekiva Pkwy Connector	506	451	641	--	1598	A
Kelly Park Rd and Wekiva Pkwy SB Ramps	--	270	215	245	730	A
Kelly Park Rd and Wekiva Pkwy NB Ramps	230	--	337	400	967	A
<b>Lake County</b>						
SR 46 and US 441	1352	1319	389	533	3593	B
SR 46 and Round Lake Road	210	280	900	590	1980	B
SR 46 and CR 437	540	420	480	800	2240	C
SR 46 and CR 435/Niles St	430	28	660	960	2078	C
SR 46 and CR 46A	--	450	800	1320	2570	B
SR 46 (Existing) and Wekiva Pkwy WB Ramps	--	820	870	50	1740	A
SR 46 (Existing) and Wekiva Pkwy EB Ramps	50	--	820	--	870	A
CR 46A (Old) and Wekiva Pkwy WB Ramps	73	100	--	60	233	A
CR 46A (Old) and Wekiva Pkwy EB Ramps	100	73	40	--	213	A
Wekiva River Rd and Wekiva Pkwy WB Ramps	91	120	--	80	291	A
Wekiva River Rd and Wekiva Pkwy EB Ramps	120	150	41	--	311	A
<b>Seminole County</b>						
Wekiva Pkwy WB CD and Wekiva Park Dr	--	310	1210	1750	3270	A
Wekiva Pkwy WB CD and Longwood Markham Rd	90	--	--	290	380	A
Wekiva Pkwy EB CD and Longwood Markham Rd	140	130	200	--	470	A
Wekiva Pkwy WB CD and Lake Markham Rd	60	--	--	160	220	A
Wekiva Pkwy EB CD and Lake Markham Rd	100	80	120	--	300	A
SR 46 and CR 431 (Orange Blvd)	431	230	890	1460	3011	C
SR 46 and International Pkwy	500	--	1450	1600	3550	A
SR 46 and N Oregon Ave/Wayside Dr	264	360	1320	1880	3824	B
SR 46 and I-4 WB Ramp	--	970	1560	2219	4749	B
SR 46 and I-4 EB Ramp	910	--	1716	2570	5196	C
SR 46 and Town Center Blvd	860	341	2120	2015	5336	D
SR 46 and Rinehart Rd	920	223	1490	1690	4323	C
CR 46 A and International Pkwy	1866	625	733	1282	4506	E
CR 46 A and I-4 WB Ramp	470	517	1980	1887	4854	D
CR 46 A and I-4 EB Ramp	1190	--	2067	1777	5034	D
CR 46A and Rinehart Rd	1990	1115	2600	959	6664	E
Rinehart Rd and St Johns Pkwy	1050	621	326	438	2435	B
Rinehart Rd and SR 417 NB Ramp	881	762	101	790	2534	B
Rinehart Rd and SR 417 SB Ramp	1240	886	--	230	2356	B
Rinehart Rd and Town Center Blvd	1475	767	455	75	2772	B
International Pkwy and SR 417 NB Ramps	958	562	410	--	1930	A
International Pkwy and SR 417 SB Ramps	668	294	--	550	1512	B

Maximum 1990 1319 2600 2570 6664

Speed Limit:

Freeway = 65 mph; Surface Roads = 40 mph

**Build 2032**

County	Approach Volumes (veh/hr)				Total veh/hr	Level of Service
	NB Lane	SB Lane	EB Lane	WB Lane		
<b>Orange County</b>						
US 441 and CR 437	--	840	1540	2030	4410	B
CR 437 and Ponkan Rd	1160	450	340	350	2300	B
CR 437 and Kelly Park Rd	710	620	689	460	2479	B
US 441 and Wekiva Pkwy	2250	840	1828	1192	6110	C
US 441 and Wekiva Pkwy Connector	--	1633	3140	1690	6463	C
CR 437 and Wekiva Pkwy Connector	792	980	1387	--	3159	B
Kelly Park Rd and Wekiva Pkwy SB Ramps	--	580	473	525	1578	B
Kelly Park Rd and Wekiva Pkwy NB Ramps	490	--	742	862	2094	A
<b>Lake County</b>						
SR 46 and US 441	2080	1050	730	1370	5230	C
SR 46 and Round Lake Road	260	860	2260	640	4020	B
SR 46 and CR 437	570	430	530	660	2190	C
SR 46 and CR 435/Niles St	620	34	550	1400	2604	D
SR 46 and CR 46A	--	1780	1160	1640	4580	D
SR 46 (Existing) and Wekiva Pkwy WB Ramps	--	1790	1890	110	3790	A
SR 46 (Existing) and Wekiva Pkwy EB Ramps	110	--	1790	--	1900	A
CR 46A (Old) and Wekiva Pkwy WB Ramps	113	170	--	110	393	A
CR 46A (Old) and Wekiva Pkwy EB Ramps	170	131	60	--	361	A
Wekiva River Rd and Wekiva Pkwy WB Ramps	199	291	--	210	700	A
Wekiva River Rd and Wekiva Pkwy EB Ramps	290	372	80	--	742	A
<b>Seminole County</b>						
Wekiva Pkwy WB CD and Wekiva Park Dr	--	350	1320	1920	3590	A
Wekiva Pkwy WB CD and Longwood Markham Rd	120	--	--	630	750	A
Wekiva Pkwy EB CD and Longwood Markham Rd	180	210	450	--	840	A
Wekiva Pkwy WB CD and Lake Markham Rd	120	--	--	350	470	A
Wekiva Pkwy EB CD and Lake Markham Rd	185	160	250	--	595	A
SR 46 and CR 431 (Orange Blvd)	550	310	980	1600	3440	C
SR 46 and International Pkwy	820	--	1590	1760	4170	B
SR 46 and N Oregon Ave/Wayside Dr	315	430	1450	2070	4265	C
SR 46 and I-4 WB Ramp	--	1320	1710	2914	5944	B
SR 46 and I-4 EB Ramp	1280	--	2032	3270	6582	D
SR 46 and Town Center Blvd	1073	405	2710	2720	6908	D
SR 46 and Rinehart Rd	1360	223	2250	2550	6383	D
CR 46 A and International Pkwy	2579	1530	882	1380	6371	F
CR 46 A and I-4 WB Ramp	900	701	2340	2286	6227	F
CR 46 A and I-4 EB Ramp	1840	--	2517	2097	6454	F
CR 46A and Rinehart Rd	2510	1190	3357	1100	8157	F
Rinehart Rd and St Johns Pkwy	1560	800	464	639	3463	C
Rinehart Rd and SR 417 NB Ramp	1131	1018	211	1350	3710	C
Rinehart Rd and SR 417 SB Ramp	1560	1100	--	660	3320	D
Rinehart Rd and Town Center Blvd	1720	920	538	89	3267	C
International Pkwy and SR 417 NB Ramps	1808	1098	890	--	3796	B
International Pkwy and SR 417 SB Ramps	1158	515	--	1200	2873	B

Maximum 2579 1790 3357 3270 8157

Speed Limit:

Freeway = 65 mph; Surface Roads = 40 mph

## **Appendix B**

### **CO Florida 2004 Model Results**

CO Florida 2004

Project: Weki va Parkway CO Screening Model  
Facility: CR 46A and International Parkway, No Build, 2012  
Analyst: CGA

Environmental Data:  
Temperature: 48 F  
Reid Vapor Pressure: 11.5 psi  
Land Use: Urban  
Stability Class: D  
Surface Roughness: 175  
Background Concentration: 1-hr = 5.0 ppm      8-hr = 3.0 ppm

Project Data:  
Region: 3: Central Florida  
Year: 2012  
Intersection Type: 6 x 6 Intersection  
Max Approach Traffic Volume: 2098 veh/hour  
Speed: 40

Receptor Data (all distances are in feet):

Receptor Name	East-West Distance from Intersection	North-South Distance from Intersection	Receptor Height
Default Rec 1	10	150	6
Default Rec 2	10	50	6
Default Rec 3	50	10	6
Default Rec 4	150	10	6
Default Rec 5	50	50	6
Default Rec 6	10	-150	6
Default Rec 7	10	-50	6
Default Rec 8	50	-10	6
Default Rec 9	150	-10	6
Default Rec 10	50	-50	6

RESULTS (including background CO):

Receptor Name	Max 1-Hr Conc (ppm)	Max 8-Hr Conc (ppm)
Default Rec 1	9.7	5.8
Default Rec 2	10.6	6.4
Default Rec 3	11.1	6.7
Default Rec 4	11.1	6.7
Default Rec 5	9.9	5.9
Default Rec 6	11.1	6.7
Default Rec 7	11.1	6.7
Default Rec 8	10.6	6.4
Default Rec 9	9.7	5.8
Default Rec 10	9.9	5.9

\*\*\*\*\*  
PROJECT PASSES - NO EXCEEDANCES OF NAAQ CO STANDARDS ARE PREDICTED  
\*\*\*\*\*

CO Florida 2004

Project: Weki va Parkway CO Screening Model  
 Facility: CR 46A and Rinehart Road, No Build, 2012  
 Analyst: CGA

Environmental Data:  
 Temperature: 48 F  
 Reid Vapor Pressure: 11.5 psi  
 Land Use: Urban  
 Stability Class: D  
 Surface Roughness: 175  
 Background Concentration: 1-hr = 5.0 ppm      8-hr = 3.0 ppm

Project Data:  
 Region: 3: Central Florida  
 Year: 2012  
 Intersection Type: 6 x 6 Intersection  
 Max Approach Traffic Volume: 3064 veh/hour  
 Speed: 40

Receptor Data (all distances are in feet):

Receptor Name	East-West Distance from Intersection	North-South Distance from Intersection	Receptor Height
Default Rec 1	10	150	6
Default Rec 2	10	50	6
Default Rec 3	50	10	6
Default Rec 4	150	10	6
Default Rec 5	50	50	6
Default Rec 6	10	-150	6
Default Rec 7	10	-50	6
Default Rec 8	50	-10	6
Default Rec 9	150	-10	6
Default Rec 10	50	-50	6

RESULTS (including background CO):

Receptor Name	Max 1-Hr Conc (ppm)	Max 8-Hr Conc (ppm)
Default Rec 1	11.3	6.8
Default Rec 2	12.5	7.5
Default Rec 3	12.6	7.6
Default Rec 4	12.6	7.6
Default Rec 5	11.2	6.7
Default Rec 6	12.6	7.6
Default Rec 7	12.6	7.6
Default Rec 8	12.5	7.5
Default Rec 9	11.3	6.8
Default Rec 10	11.2	6.7

\*\*\*\*\*  
 PROJECT PASSES - NO EXCEEDANCES OF NAAQ CO STANDARDS ARE PREDICTED  
 \*\*\*\*\*



CO Florida 2004

Project: Weki va Parkway CO Screening Model  
 Facility: CR 46A and International Parkway, No Build, 2032  
 Analyst: CGA

Environmental Data:  
 Temperature: 48 F  
 Reid Vapor Pressure: 11.5 psi  
 Land Use: Urban  
 Stability Class: D  
 Surface Roughness: 175  
 Background Concentration: 1-hr = 5.0 ppm      8-hr = 3.0 ppm

Project Data:  
 Region: 3: Central Florida  
 Year: 2032  
 Intersection Type: 6 x 6 Intersection  
 Max Approach Traffic Volume: 3090 veh/hour  
 Speed: 40

Receptor Data (all distances are in feet):

Receptor Name	East-West Distance from Intersection	North-South Distance from Intersection	Receptor Height
Default Rec 1	10	150	6
Default Rec 2	10	50	6
Default Rec 3	50	10	6
Default Rec 4	150	10	6
Default Rec 5	50	50	6
Default Rec 6	10	-150	6
Default Rec 7	10	-50	6
Default Rec 8	50	-10	6
Default Rec 9	150	-10	6
Default Rec 10	50	-50	6

RESULTS (including background CO):

Receptor Name	Max 1-Hr Conc (ppm)	Max 8-Hr Conc (ppm)
Default Rec 1	9.9	5.9
Default Rec 2	10.8	6.5
Default Rec 3	11.1	6.7
Default Rec 4	10.7	6.4
Default Rec 5	9.9	5.9
Default Rec 6	10.7	6.4
Default Rec 7	11.1	6.7
Default Rec 8	10.8	6.5
Default Rec 9	9.8	5.9
Default Rec 10	9.9	5.9

\*\*\*\*\*  
 PROJECT PASSES - NO EXCEEDANCES OF NAAQ CO STANDARDS ARE PREDICTED  
 \*\*\*\*\*

CO Florida 2004

Project: Weki va Parkway CO Screening Model  
 Facility: CR 46A and Rinehart Road, No Build, 2032  
 Analyst: CGA

Environmental Data:  
 Temperature: 48 F  
 Reid Vapor Pressure: 11.5 psi  
 Land Use: Urban  
 Stability Class: D  
 Surface Roughness: 175  
 Background Concentration: 1-hr = 5.0 ppm      8-hr = 3.0 ppm

Project Data:  
 Region: 3: Central Florida  
 Year: 2032  
 Intersection Type: 6 x 6 Intersection  
 Max Approach Traffic Volume: 3891 veh/hour  
 Speed: 40

Receptor Data (all distances are in feet):

Receptor Name	East-West Distance from Intersection	North-South Distance from Intersection	Receptor Height
Default Rec 1	10	150	6
Default Rec 2	10	50	6
Default Rec 3	50	10	6
Default Rec 4	150	10	6
Default Rec 5	50	50	6
Default Rec 6	10	-150	6
Default Rec 7	10	-50	6
Default Rec 8	50	-10	6
Default Rec 9	150	-10	6
Default Rec 10	50	-50	6

RESULTS (including background CO):

Receptor Name	Max 1-Hr Conc (ppm)	Max 8-Hr Conc (ppm)
Default Rec 1	11.0	6.6
Default Rec 2	11.8	7.1
Default Rec 3	11.8	7.1
Default Rec 4	11.5	6.9
Default Rec 5	10.4	6.2
Default Rec 6	11.5	6.9
Default Rec 7	11.8	7.1
Default Rec 8	11.8	7.1
Default Rec 9	11.0	6.6
Default Rec 10	10.4	6.2

\*\*\*\*\*  
 PROJECT PASSES - NO EXCEEDANCES OF NAAQ CO STANDARDS ARE PREDICTED  
 \*\*\*\*\*

CO Florida 2004

Project: Wekiva Parkway CO Screening Model  
 Facility: CR 46A and Rinehart Road, Build, 2012  
 Analyst: CGA

Environmental Data:

Temperature: 48 F  
 Reid Vapor Pressure: 11.5 psi  
 Land Use: Urban  
 Stability Class: D  
 Surface Roughness: 175  
 Background Concentration: 1-hr = 5.0 ppm      8-hr = 3.0 ppm

Project Data:

Region: 3: Central Florida  
 Year: 2012  
 Intersection Type: 6 x 6 Intersection  
 Max Approach Traffic Volume: 2600 veh/hour  
 Speed: 40

Receptor Data (all distances are in feet):

Receptor Name	East-West Distance from Intersection	North-South Distance from Intersection	Receptor Height
Default Rec 1	10	150	6
Default Rec 2	10	50	6
Default Rec 3	50	10	6
Default Rec 4	150	10	6
Default Rec 5	50	50	6
Default Rec 6	10	-150	6
Default Rec 7	10	-50	6
Default Rec 8	50	-10	6
Default Rec 9	150	-10	6
Default Rec 10	50	-50	6

RESULTS (including background CO):

Receptor Name	Max 1-Hr Conc (ppm)	Max 8-Hr Conc (ppm)
Default Rec 1	10.4	6.2
Default Rec 2	11.6	7.0
Default Rec 3	12.0	7.2
Default Rec 4	11.8	7.1
Default Rec 5	10.7	6.4
Default Rec 6	11.8	7.1
Default Rec 7	12.0	7.2
Default Rec 8	11.6	7.0
Default Rec 9	10.4	6.2
Default Rec 10	10.7	6.4

\*\*\*\*\*  
 PROJECT PASSES - NO EXCEEDANCES OF NAAQ CO STANDARDS ARE PREDICTED  
 \*\*\*\*\*

CO Florida 2004

Project: Weki va Parkway CO Screening Model  
Facility: CR 46A and International Parkway, Build, 2032  
Analyst: CGA

Environmental Data:  
Temperature: 48 F  
Reid Vapor Pressure: 11.5 psi  
Land Use: Urban  
Stability Class: D  
Surface Roughness: 175  
Background Concentration: 1-hr = 5.0 ppm 8-hr = 3.0 ppm

Project Data:  
Region: 3: Central Florida  
Year: 2032  
Intersection Type: 6 x 6 Intersection  
Max Approach Traffic Volume: 2579 veh/hour  
Speed: 40

Receptor Data (all distances are in feet):

Receptor Name	East-West Distance from Intersection	North-South Distance from Intersection	Receptor Height
Default Rec 1	10	150	6
Default Rec 2	10	50	6
Default Rec 3	50	10	6
Default Rec 4	150	10	6
Default Rec 5	50	50	6
Default Rec 6	10	-150	6
Default Rec 7	10	-50	6
Default Rec 8	50	-10	6
Default Rec 9	150	-10	6
Default Rec 10	50	-50	6

RESULTS (including background CO):

Receptor Name	Max 1-Hr Conc (ppm)	Max 8-Hr Conc (ppm)
Default Rec 1	9.4	5.6
Default Rec 2	10.2	6.1
Default Rec 3	10.4	6.2
Default Rec 4	10.0	6.0
Default Rec 5	9.4	5.6
Default Rec 6	10.0	6.0
Default Rec 7	10.4	6.2
Default Rec 8	10.2	6.1
Default Rec 9	9.4	5.6
Default Rec 10	9.4	5.6

\*\*\*\*\*  
PROJECT PASSES - NO EXCEEDANCES OF NAAQ CO STANDARDS ARE PREDICTED  
\*\*\*\*\*

CO Florida 2004

Project: Weki va Parkway CO Screening Model  
 Facility: CR 46A and Rinehart Road, Build, 2032  
 Analyst: CGA

Environmental Data:  
 Temperature: 48 F  
 Reid Vapor Pressure: 11.5 psi  
 Land Use: Urban  
 Stability Class: D  
 Surface Roughness: 175  
 Background Concentration: 1-hr = 5.0 ppm      8-hr = 3.0 ppm

Project Data:  
 Region: 3: Central Florida  
 Year: 2032  
 Intersection Type: 6 x 6 Intersection  
 Max Approach Traffic Volume: 3357 veh/hour  
 Speed: 40

Receptor Data (all distances are in feet):

Receptor Name	East-West Distance from Intersection	North-South Distance from Intersection	Receptor Height
Default Rec 1	10	150	6
Default Rec 2	10	50	6
Default Rec 3	50	10	6
Default Rec 4	150	10	6
Default Rec 5	50	50	6
Default Rec 6	10	-150	6
Default Rec 7	10	-50	6
Default Rec 8	50	-10	6
Default Rec 9	150	-10	6
Default Rec 10	50	-50	6

RESULTS (including background CO):

Receptor Name	Max 1-Hr Conc (ppm)	Max 8-Hr Conc (ppm)
Default Rec 1	10.2	6.1
Default Rec 2	11.1	6.7
Default Rec 3	11.2	6.7
Default Rec 4	11.0	6.6
Default Rec 5	10.1	6.1
Default Rec 6	11.0	6.6
Default Rec 7	11.2	6.7
Default Rec 8	11.1	6.7
Default Rec 9	10.2	6.1
Default Rec 10	10.1	6.1

\*\*\*\*\*  
 PROJECT PASSES - NO EXCEEDANCES OF NAAQ CO STANDARDS ARE PREDICTED  
 \*\*\*\*\*