## CENTRAL FLORIDA EXPRESSWAY AUTHORITY

## MEETING NOTICE RIGHT-OF-WAY COMMITTEE MEETING

DATE: June 15, 2022

TIME: 2:00 p.m.

LOCATION: Central Florida Expressway Authority

4974 ORL Tower Road Orlando, FL 32807

Boardroom

Section 286.0105, Florida Statutes states that if a person decides to appeal any decision made by a board, agency, or commission with respect to any matter considered at a meeting or hearing, they will need a record of the proceedings, and that, for such purpose, they may need to ensure that a verbatim record of the proceedings is made, which record includes the testimony and evidence upon which the appeal is to be based.

Any written public comments that are to be submitted to the Right-of-Way Committee, shall be emailed to <a href="mailto:ROWComments@cfxway.com">ROWComments@cfxway.com</a> and must be received 48 hours before the start of the meeting to be included as part of the record. All comments will be shared with Committee Members but only comments related to Committee items being voted upon will be included in the record. Please indicate the agenda item number related to your comments in your email subject heading.

Persons who require translation services, which are provided at no cost, should contact CFX at (407) 690-5000 x5316 or by email at <a href="mailto:Iranetta.Dennis@cfxway.com">Iranetta.Dennis@cfxway.com</a> at least three (3) business days prior to the event.

In accordance with the Americans with Disabilities Act (ADA), if any person with a disability as defined by the ADA needs special accommodations to participate in this proceeding, then they should contact the Central Florida Expressway Authority at (407) 690-5000 no later than two (2) business days prior to the proceeding.

Please note that participants attending meetings held at the CFX Headquarters Building are subject to certain limitations and restrictions in order to adhere to the CDC guidelines and to ensure the safety and welfare of the public.

Posted 6/1/2022 on CFX website/CFX Administration Building