

Checklist for TROE

- Does the name of the Applicant on page 1 match the name on the signature page?
- Does the name of the Permittee on page 1 match the name on the signature page?
- Does the name of the Applicant on page 1 match the name on the COI?
- Did a person with authority sign on behalf of the Applicant? Cross check with Sunbiz.
- Did a person with authority sign on behalf of the Permittee? Cross check with Sunbiz.
- Is the Location narrowly described and clear and unambiguous?
- Is the purpose of the TROE limited and does it relate to or further CFX's mission (Manual 5-9.02)?
- Does the TROE create a hazard to the public, unreasonable hinder CFX's operations or the operation of the Expressway System, adversely affect the aesthetics of the Expressway System, or damage property owned by CFX (Manual 5-9.02)?
- Does the proposed work area breach any l/a lines? If so, is that specifically addressed and approved in the TROE?
- No permanent structures or improvements are allowed?
- Are all the attachments present?
- Are all the blanks filled in?
- Is the COI current through the sought-after duration of the permit?
- Is CFX a Certificate Holder?
- Are the additional insured endorsements attached?
 - CGL Excess/Umbrella Auto
- Are all the waiver of subrogation endorsements attached?
 - CGL Excess/Umbrella Auto Worker's Comp
- Are the limits of insurance adequate?
 - CGL@1M/occ Auto@1M/occ
- Worker's Comp: 100k/accident, \$100k/employee for BI by disease, \$500k policy limit by disease